
Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 1 of 12








FIG. 2



## Attorney Docket No.: 21221/1-CIP-2 FILTER MULTIPLE PULSE PHOTO... Applicant(s): Stephen Almeida Sheet 4 of 12



Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 5 of 12




FIG. 5A




FIG. 5B




FIG. 5C

Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 7 of 12






Fig. 5D



Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 9 of 12



Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 10 of 12

## MELANIN ABSOROPTION




Fig. 7B

## BLOOD ABSORPTION




Fig. 7C

Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 11 of 12






Fig. 7D
Absorptions vs. Spectral Output



Attorney Docket No.: 21221/1-CIP-2
FILTER MULTIPLE PULSE PHOTO...
Applicant(s): Stephen Almeida
Sheet 12 of 12



SKIN/LESION TEMPERATURE WITH PRE AND POST OPTICAL HEATING

Fig. 8